



Complete your **FORM...**

[www.formsunger.com.tr](http://www.formsunger.com.tr)

| PRODUCT NAME                                                                        | EUROPE STANDARDS |                   |                           | US STANDARDS |     |
|-------------------------------------------------------------------------------------|------------------|-------------------|---------------------------|--------------|-----|
|                                                                                     | DENSITY          | HARDNESS (NEWTON) | HARDNESS (KPA)            | POUND (P)    | ILD |
|                                                                                     | TS EN ISO 845    | TS EN ISO 2439    | TS EN ISO 3386<br>AVERAGE |              |     |
|                                                                                     | KG/M3            | N<br>%40          | KPA                       |              |     |
|    |                  |                   |                           |              |     |
| 22 DN SOFT FORM                                                                     | 22               | 75                | 1,73                      | 1,4          | 15  |
| 24 DN SOFT FORM                                                                     | 24               | 90                | 2,10                      | 1,5          | 16  |
| 27 DN SOFT FORM                                                                     | 27               | 135               | 3,34                      | 1,7          | 26  |
| 28 DN SOFT FORM                                                                     | 28               | 135               | 3,23                      | 1,8          | 26  |
| 30 DN SOFT FORM                                                                     | 30               | 153               | 3,25                      | 1,9          | 30  |
| 32 DN SOFT FORM                                                                     | 32               | 145               | 3,38                      | 2,0          | 28  |
| 35 DN SOFT FORM                                                                     | 35               | 130               | 3,26                      | 2,2          | 25  |
| 35 DN MAXSOFT FORM                                                                  | 35               | 103               | 2,22                      | 2,2          | 20  |
|    |                  |                   |                           |              |     |
| 24 DN HYPER SOFT FORM                                                               | 24               | 55                | 1,21                      | 1,5          | 11  |
| 35 DN HYPER SOFT FORM                                                               | 35               | 85                | 2,16                      | 2,2          | 16  |
|   |                  |                   |                           |              |     |
| 14 DN FLEXI FORM                                                                    | 14               | 80                | 2,12                      | 0,9          | 15  |
| 16 DN FLEXI FORM                                                                    | 16               | 95                | 2,21                      | 1,0          | 18  |
| 18 DN FLEXI FORM                                                                    | 18               | 105               | 2,68                      | 1,1          | 20  |
| 20 DN FLEXI FORM                                                                    | 20               | 115               | 2,69                      | 1,3          | 22  |
| 22 DN FLEXI FORM                                                                    | 22               | 125               | 3,15                      | 1,4          | 24  |
| 24 DN FLEXI FORM                                                                    | 24               | 135               | 3,13                      | 1,5          | 26  |
| 26 DN FLEXI FORM                                                                    | 27               | 158               | 3,97                      | 1,6          | 30  |
| 27 DN FLEXI FORM                                                                    | 27               | 160               | 3,90                      | 1,8          | 0   |
| 28 DN FLEXI FORM                                                                    | 28               | 160               | 3,90                      | 1,8          | 31  |
| 30 DN FLEXI FORM                                                                    | 30               | 176               | 3,95                      | 1,9          | 34  |
| 32 DN FLEXI FORM                                                                    | 32               | 171               | 4,20                      | 2,0          | 33  |
| 35 DN FLEXI FORM                                                                    | 35               | 181               | 4,25                      | 2,2          | 35  |
| 40 DN FLEXI FORM                                                                    | 40               | 191               | 4,43                      | 2,5          | 37  |
|  |                  |                   |                           |              |     |
| 14 DN DURA FORM                                                                     | 14               | 106               | 2,51                      | 0,9          | 20  |
| 14 DN MEGA DURA FORM                                                                | 14               | 156               | 4,02                      | 0,9          | 30  |
| 16 DN DURA FORM                                                                     | 16               | 105               | 2,82                      | 1,0          | 20  |
| 16 DN MEGA DURA FORM                                                                | 16               | 160               | 3,87                      | 1,0          | 31  |
| 18 DN DURA FORM                                                                     | 18               | 130               | 3,60                      | 1,1          | 25  |
| 18 DN MEGA DURA FORM                                                                | 18               | 191               | 4,84                      | 1,1          | 37  |
| 20 DN DURA FORM                                                                     | 20               | 176               | 4,60                      | 1,3          | 34  |
| 22 DN DURA FORM                                                                     | 22               | 205               | 5,42                      | 1,4          | 40  |
| 22 DN MEDIUM FORM                                                                   | 22               | 165               | 3,58                      | 1,4          | 32  |
| 22 DN MEGA DURA FORM                                                                | 22               | 247               | 6,40                      | 1,4          | 48  |
| 24 DN DURA FORM                                                                     | 24               | 210               | 5,35                      | 1,5          | 40  |
| 24 DN MEDIUM FORM                                                                   | 24               | 171               | 4,33                      | 1,5          | 33  |
| 26 DN DURA FORM                                                                     | 26               | 229               | 5,68                      | 1,6          | 44  |
| 32 DN DURA FORM                                                                     | 32               | 256               | 6,43                      | 2,0          | 49  |

| PRODUCT NAME                                                                        | EUROPE STANDARDS |                   |                        | US STANDARDS |     |
|-------------------------------------------------------------------------------------|------------------|-------------------|------------------------|--------------|-----|
|                                                                                     | DENSITY          | HARDNESS (NEWTON) | HARDNESS (KPA)         | POUND (P)    | ILD |
|                                                                                     | TS EN ISO 845    | TS EN ISO 2439    | TS EN ISO 3386 AVERAGE |              |     |
|                                                                                     | KG/M3            | N %40             | KPA                    |              |     |
| 32 DN MEDIUM FORM                                                                   | 32               | 230               | 5,22                   | 2,0          | 44  |
| 35 DN DURA FORM                                                                     | 35               | 245               | 5,85                   | 2,2          | 47  |
| 40 DN DURA FORM                                                                     | 40               | 291               | 7,16                   | 2,5          | 56  |
| 40 DN MEDIUM FORM                                                                   | 40               | 260               | 5,30                   | 2,5          | 50  |
| 50 DN DURA FORM                                                                     | 50               | 460               | 12,90                  | 3,1          | 89  |
| 60 DN DURA FORM                                                                     | 60               | 505               | 13,82                  | 3,8          | 97  |
| 70 DN DURA FORM                                                                     | 70               | 663               | 16,21                  | 4,4          | 32  |
|    |                  |                   |                        |              |     |
| 30 DN HR FORM                                                                       | 30               | 130               | 3,26                   | 1,9          | 25  |
| 35 DN HR FORM                                                                       | 35               | 145               | 3,65                   | 2,2          | 28  |
| 35 DN SOFT HR FORM                                                                  | 35               | 105               | 2,46                   | 2,2          | 20  |
| 40 DN HR FORM                                                                       | 40               | 140               | 3,44                   | 2,5          | 27  |
| 50 DN HR FORM                                                                       | 50               | 160               | 3,83                   | 3,1          | 31  |
| 50 DN SOFT HR FORM                                                                  | 50               | 130               | 3,08                   | 3,1          | 25  |
|   |                  |                   |                        |              |     |
| 32 DN PE VISCO FORM                                                                 | 32               | 65                | 1,62                   | 2,0          | 13  |
| 40 DN PE VISCO FORM                                                                 | 40               | 70                | 1,92                   | 2,5          | 14  |
| 45 DN VISCO FORM                                                                    | 45               | 60                | 1,32                   | 2,8          | 12  |
| 50 DN PE VISCO FORM                                                                 | 50               | 76                | 1,81                   | 3,1          | 15  |
| 50 DN VISCO FORM                                                                    | 50               | 60                | 1,81                   | 3,1          | 12  |
| 60 DN PE VISCO FORM                                                                 | 60               | 60                | 1,66                   | 3,8          | 12  |
| 60 DN VISCO FORM                                                                    | 60               | 70                | 1,86                   | 3,8          | 14  |
|  |                  |                   |                        |              |     |
| 32 DN PE VISCO GEL FORM                                                             | 32               | 73                | 1,84                   | 2,0          | 14  |
| 40 DN PE VISCO GEL FORM                                                             | 40               | 75                | 1,86                   | 2,5          | 12  |
| 50 DN VISCO GEL FORM                                                                | 50               | 60                | 1,67                   | 3,1          | 12  |
| 60 DN VISCO GEL FORM                                                                | 60               | 70                | 1,71                   | 3,8          | 14  |
|  |                  |                   |                        |              |     |
| 14 DN FLARET FORM                                                                   | 14               | 67                | 1,91                   | 0,9          | 13  |
| 18 DN FLARET FORM                                                                   | 18               | 76                | 1,76                   | 1,1          | 15  |
| 20 DN FLARET FORM                                                                   | 20               | 85                | 4,55                   | 1,3          | 16  |
| 22 DN FLARET FORM                                                                   | 22               | 127               | 3,09                   | 1,4          | 25  |
| 22 DN SOFT FLARET FORM                                                              | 22               | 75                | 1,72                   | 1,4          | 15  |
| 24 DN FLARET FORM                                                                   | 24               | 115               | 3,20                   | 1,5          | 22  |
| 24 DN CRIB5 FLARET FORM                                                             | 24               | 95                | 2,32                   | 1,5          | 18  |
| 26 DN FLARET FORM                                                                   | 26               | 181               | 4,22                   | 1,6          | 35  |
| 27 DN FLARET FORM                                                                   | 27               | 130               | 2,97                   | 1,7          | 25  |
| 28 DN FLARET FORM                                                                   | 28               | 186               | 3,24                   | 1,8          | 36  |
| 28 DN CRIB5 FLARET FORM                                                             | 28               | 125               | 3,15                   | 1,8          | 24  |
| 28 DN SOFT FLARET FORM                                                              | 28               | 135               | 3,08                   | 1,8          | 26  |
| 32 DN DURA FLARET FORM                                                              | 32               | 276               | 5,97                   | 2,0          | 53  |

| PRODUCT NAME                                                                        | EUROPE STANDARDS |                   |                           | US STANDARDS |     |
|-------------------------------------------------------------------------------------|------------------|-------------------|---------------------------|--------------|-----|
|                                                                                     | DENSITY          | HARDNESS (NEWTON) | HARDNESS (KPA)            | POUND (P)    | ILD |
|                                                                                     | TS EN ISO 845    | TS EN ISO 2439    | TS EN ISO 3386<br>AVERAGE |              |     |
|                                                                                     | KG/M3            | N<br>%40          | KPA                       |              |     |
| 35 DN SOFT FLARET FORM                                                              | 35               | 143               | 3,06                      | 2,2          | 28  |
| 40 DN FLARET FORM                                                                   | 40               | 181               | 4,49                      | 2,5          | 35  |
| 45 DN VISCO FLARET FORM                                                             | 45               | 60                | 1,63                      | 2,8          | 12  |
| 50 DN VISCO FLARET FORM                                                             | 50               | 74                | 1,92                      | 3,1          | 14  |
|    |                  |                   |                           |              |     |
| 22 DN DURA OPTIC FORM                                                               | 22               | 205               | 4,89                      | 1,4          | 40  |
| 24 DN DURA OPTIC FORM                                                               | 24               | 201               | 5,15                      | 1,5          | 39  |
| 24 DN OPTIC FORM                                                                    | 24               | 125               | 2,97                      | 1,5          | 24  |
| 24 DN SOFT OPTIC FORM                                                               | 24               | 80                | 2,17                      | 1,5          | 15  |
| 26 DN DURA OPTIC FORM                                                               | 26               | 221               | 5,20                      | 1,6          | 43  |
| 26 DN OPTIC FORM                                                                    | 26               | 130               | 3,14                      | 1,6          | 25  |
| 30 DN DURA OPTIC FORM                                                               | 30               | 221               | 5,39                      | 1,9          | 43  |
| 30 DN OPTIC FORM                                                                    | 30               | 135               | 3,18                      | 1,9          | 26  |
| 32 DN DURA OPTIC FORM                                                               | 32               | 236               | 5,81                      | 2,0          | 45  |
| 35 DN DURA OPTIC FORM                                                               | 35               | 245               | 6,26                      | 2,2          | 47  |
| 35 DN OPTIC FORM                                                                    | 35               | 160               | 3,83                      | 2,2          | 31  |
| 35 DN SOFT OPTIC FORM                                                               | 35               | 145               | 3,28                      | 2,2          | 28  |
| 40 DN DURA OPTIC FORM                                                               | 40               | 300               | 6,86                      | 2,5          | 58  |
| 40 DN OPTIC FORM                                                                    | 40               | 171               | 4,27                      | 2,5          | 33  |
|  |                  |                   |                           |              |     |
| 16 DURA LAMINA PU FORM                                                              | 16               | 124               | 2,77                      | 1,0          | 24  |
| 22 DURA LAMINA PU FORM                                                              | 20               | 178               | 4,64                      | 1,3          | 34  |
| 22 DN LAMINA PU FORM                                                                | 22               | 115               | 2,74                      | 1,4          | 22  |
| 22 DN DURA LAMINA PU FORM                                                           | 22               | 180               | 4,55                      | 1,4          | 35  |
| 24 DN LAMINA PU FORM                                                                | 24               | 135               | 3,30                      | 1,5          | 26  |
| 24 DN SOFT LAMINA PU FORM                                                           | 24               | 77                | 1,83                      | 1,5          | 15  |
| 26 DN LAMINA PU FORM                                                                | 26               | 135               | 3,21                      | 1,6          | 26  |
| 32 DN LAMINA PU FORM                                                                | 32               | 152               | 3,42                      | 2,0          | 29  |